

TEST REPORT

Applicant: Shenzhen Huafurui Technology Co., Ltd
Address: Unit 1401 &1402, 14/F, Jinqi Zhigu Mansion (No. 4 Building of Chongwen Garden), Crossing of the Liuxian Street and Tangling Road, Taoyuan Street, Nanshan District, Shenzhen,P.R. China

The following sample(s) was/were submitted and identified on behalf of the client as:

Product name: Smartphone
Model: P60
Trade: CUBOT
Manufacturer: Shenzhen Huafurui Technology Co., Ltd
Address: Unit 1401 &1402, 14/F, Jinqi Zhigu Mansion (No. 4 Building of Chongwen Garden), Crossing of the Liuxian Street and Tangling Road, Taoyuan Street, Nanshan District, Shenzhen,P.R. China

Sample Received Date: Aug. 22, 2022
Testing Period: Aug. 22, 2022~ Aug. 31, 2022

Test Requirement:

As specified by client, to screen the 224 substances of very high concern(SVHC) under Regulation(EC) No 1907/2006 of REACH in the submitted sample(s).

Summary:

According to the specified scope and evaluation screening, the concentrations of 1,3-propanesultone, Lead are >0.1%(w/w) in certain component(s), the concentrations of each other SVHCs is ≤ 0.1% (w/w) in the component(s) of submitted sample(s).

Test Method: Please refer to the following page(s);

Test Result(s): Please refer to the following page(s);

Compiled by: Dora Reviewed by: Y. Blmar

Approved by: Mark Liao Date: 2022-09-08

Test Result(s):

Batch	No.	Test item(s)	CAS No.	Result(s),%			RL (%)
				T1	T2	T3	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%			RL (%)
				T4	T5	T6	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%			RL (%)
				T7	T8	T9	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%		RL (%)
				T10	T11	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%	RL (%)
				T12	
I	4	Cobalt dichloride*	7646-79-9	^N.D.	0.010
IV	37	Cobalt(II) sulphate*	10124-43-3	^N.D.	0.010
IV	38	Cobalt(II) dinitrate*	10141-05-6	^N.D.	0.010
IV	39	Cobalt(II) carbonate*	513-79-1	^N.D.	0.010
IV	40	Cobalt(II) diacetate*	71-48-7	^N.D.	0.010
XIV	164	1,3-propanesultone	1120-71-4	0.217	0.050
/	/	Other tested SVHC in candidate list	/	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%	RL (%)
				T13	
XIX	189	Lead	7439-92-1	2.668	0.010
/	/	Other tested SVHC in candidate list	/	N.D.	/

Group Description:

Group	No.
T1	1+2+4+5+6+7+11+12+13+17+18+19+21+22+24+25+26+27+28+29+31+33+34+35+36+37+39+40+44+48
T2	50+51+54+55+56+57+59+60+61+63+65+67+68+70+72+76+78+79+82+84+87+88+93+95+98+100+102+103+105+106
T3	107+109+110+111+112+114+115+116+117+119+120+123+124+125+127+129+130+132+133+135+137+138+139+140+141+143+144+146+147+149
T4	151+152+154+155+157+158+159+163+166+168+169+171+174+175+176+178+180+181+186+187+189+192+196+197+200+203+204+209+210+215
T5	216+218+220+221+222+223+229+230+232
T6	3+8+10+14+15+16+20+23+30+32+38+41+42+43+45+46+47+49+52+53+58+62+64+66+69+71+73+75+77
T7	80+81+83+85+86+89+90+91+92+94+97+99+101+104+108+113+118+121+122+126+128+131+134+136+142+145+148+150+153+156+
T8	160+161+162+164+165+170+172+173+177+179+182+183+184+185+188+190+191+193+194+195+198+199+201+205+206+207+208+211+212+213
T9	214+217+219+224+225+226+227+228+231+233
T10	74+96
T11	167+202
T12	234
T13	9

Part Description:

No.	Description	No.	Description
1	Transparent coating	2	Black plastic base material
3	Silvery metal plate	4	Silvery conductive cloth of silvery metal plate
5	Black double-sided adhesive of silvery metal plate	6	Black plastic frame
7	Black FPC of black plastic frame	8	Silvery metal sheet of black plastic frame
9	Golden metal nut	10	Silvery/black metal buttons
11	Black rubber of silvery/black metal buttons	12	Translucent plastic sheet with adhesive tape
13	Silvery conductive cloth	14	Silvery metal screw
15	Black metal screw	16	Black metal block
17	Plastic lenses with black edges	18	Transparent plastic
19	Black plastic of SMD card slot	20	Silvery metal of SMD card slot
21	Black foam glue	22	Black rubber
23	Black metal mesh	24	Black plastic block
25	Black screen	26	Translucent screen
27	Black tape of translucent screen	28	White FPC of translucent screen
29	SMD LED of translucent screen	30	Silvery metal shell
31	Grey plastic frame of silvery metal shell	32	Silvery plastic sheet
33	Translucent plastic sheet	34	Transparent plastic sheet
35	Silvery reflective plastic sheet	36	Silvery frosted plastic sheet
37	Sound basin of speakers(big)	38	Voice coil of speakers(big)
39	Black foam glue of speakers(big)	40	Black plastic frame of speakers(big)
41	Silvery magnet of speakers(big)	42	Silvery metal pedestal of speakers(big)
43	Silvery metal frame of speakers(small)	44	Sound basin of speakers(small)
45	Voice coil of speakers(small)	46	Silvery magnet of speakers(small)
47	Silvery metal pedestal of speakers(small)	48	Black plastic frame of speakers(small)
49	Metal contact pin of speakers(small)	50	Black wire jacket of speakers(small)
51	Red wire jacket of speakers(small)	52	Core of wire of speakers(small)
53	Silvery metal shell	54	Black plastic
55	Lens	56	FPC
57	Yellow FPC 1	58	Silvery metal plate of yellow FPC 1
59	Blue transparent tape of yellow FPC 1	60	Yellow transparent tape of yellow FPC 1

No.	Description	No.	Description
61	Black tape of yellow FPC 1	62	Cupreous foil of yellow FPC 1
63	Black interface-black plastic of yellow FPC 1	64	Black interface-metal plug pin of yellow FPC 1
65	Yellow FPC 2	66	Light touch switch - metal shrapnel of yellow FPC 2
67	Light touch switch - black plastic base of yellow FPC 2	68	Black plastic sheet of yellow FPC 2
69	Silvery metal plate of yellow FPC 2	70	Black FPC
71	Silvery metal sheet of black FPC	72	Black rubber pad of black FPC
73	Black metal button of black FPC	74	Black PCBA
75	Metal shell of black PCB	76	White label of black PCB
77	Silvery metal shell of antenna	78	Black plastic of antenna
79	Black wire jacket of antenna	80	Wire -core of antenna
81	Silvery metal shell of SD card slot	82	Black plastic of SD card slot
83	Metal contact pin of SD card slot	84	Black plastic of black interface
85	Silvery metal shell of black interface	86	Metal plug pin of black interface
87	Black plastic of black white interface	88	White plastic of black white interface
89	Metal plug pin of black white interface	90	Silvery metal contact pin
91	Tin solder	92	Silvery metal shell of silvery metal interface
93	Black plastic of silvery metal interface	94	Golden metal shell of golden antenna interface
95	Black plastic of golden antenna interface	96	Black PCBA
97	Silvery metal shell of silvery interface	98	Black plastic of silvery interface
99	Metal plug pin of silvery interface	100	Black foam of vibration motor
101	Silvery metal shell of vibration motor	102	PCB of vibration motor
103	Coil of vibration motor	104	Cupreous metal ring of vibration motor
105	FPC of vibration motor	106	Blue wire jacket of vibration motor
107	Red wire jacket of vibration motor	108	Wire -core of vibration motor
109	Microphone body of MIC	110	Black rubber sleeve of MIC
111	Red wire jacket of MIC	112	Black wire jacket of MIC
113	Wire -core of MIC	114	Black tape
115	Transparent yellow adhesive paper	116	Blue tape
117	FPC	118	Silvery metal sheet of FPC
119	Yellow plastic sheet of FPC	120	Black plastic of black interface

No.	Description	No.	Description
121	Silvery metal shell of black interface	122	Metal plug pin of black interface
123	White encapsulation of USB interface	124	Yellow label of USB interface
125	Transparent colloid of USB interface	126	Silvery metal shell of USB interface
127	White plastic of USB interface	128	Metal plug pin of USB interface
129	White encapsulation of Type-C interface	130	Transparent colloid of Type-C interface
131	Silvery metal shell of Type-C interface	132	White plastic of Type-C interface
133	PCB of Type-C interface	134	Tin solder of Type-C interface
135	Black plastic of Type-C interface	136	Metal plug pin of Type-C interface
137	White exterior wire jacket	138	White inner wire jacket
139	Green inner wire jacket	140	Black inner wire jacket
141	Red inner wire jacket	142	Core of wire
143	White plastic shell	144	Black fabric net of white plastic shell
145	Silvery metal shell	146	White glue of silvery metal shell
147	Sound basin	148	Voice coil
149	White/black colloidal	150	Silvery magnet
151	Green PCBA	152	White colloid of green PCB
153	Tin solder of green PCB	154	White plastic button
155	Blue button PCB	156	Metal shrapnel of blue button PCB
157	Microphone body of blue button PCB	158	White encapsulation
159	White wire jacket	160	Cupreous wire
161	Green metal wire	162	Silvery metal screw
163	White plastic shell	164	Silvery metal plug pin
165	Silvery metal sheet	166	White plastic clasp
167	Yellow/green PCBA	168	Black plastic sheet
169	White colloid	170	Silvery metal shell of USB interface
171	White plastic of USB interface	172	Metal plug pin of USB interface
173	Magnet core of transformer	174	Black plastic frame of transformer
175	Yellow tape of transformer	176	Varnished wire of transformer
177	Cupreous metal coil of transformer	178	Transparent plastic pipe of transformer
179	Metal pin of transformer	180	Grey body of FR1 resistor
181	Black casing tube of FR1 resistor	182	Metal pin of FR1 resistor
183	Silvery metal shell of C5 electrolytic capacitors	184	Cathode foil of C5 electrolytic capacitors
185	Anode foil of C5 electrolytic capacitors	186	Electrolytic paper of C5 electrolytic capacitors

No.	Description	No.	Description
187	Black rubber pad of C5 electrolytic capacitors	188	Metal pin of C5 electrolytic capacitors
189	Blue body of CY1 capacitor	190	Green body of L1 inductance
191	Metal pin of L1 inductance	192	Brown plastic jacket of C1 electrolytic capacitor
193	Silvery metal shell of C1 electrolytic capacitor	194	Cathode foil of C1 electrolytic capacitor
195	Anode foil of C1 electrolytic capacitor	196	Electrolytic paper of C1 electrolytic capacitor
197	Black rubber pad of C1 electrolytic capacitor	198	Metal pin of C1 electrolytic capacitor
199	Tin solder	200	White plastic shell
201	Silvery metal plug pin	202	Yellow/green PCBA
203	White colloid	204	Black plastic sheet
205	Silvery metal sheet	206	Silvery metal shell of C8 electrolytic capacitors
207	Cathode foil of C8 electrolytic capacitors	208	Anode foil of C8 electrolytic capacitors
209	Electrolytic paper of C8 electrolytic capacitors	210	Black rubber pad of C8 electrolytic capacitors
211	Metal pin of C8 electrolytic capacitors	212	Aluminum shell of black electrolytic capacitors
213	Anode foil of black electrolytic capacitors	214	Cathode foil of black electrolytic capacitors
215	Electrolytic paper of black electrolytic capacitors	216	Rubber blanket of black electrolytic capacitors
217	Metal pin of black electrolytic capacitors	218	Black plastic jacket of black electrolytic capacitors
219	Magnet core of transformer	220	Black plastic frame of transformer
221	Blue tape of transformer	222	Yellow tape of transformer
223	Varnished wire of transformer	224	Cupreous metal coil of transformer
225	Metal pin of transformer	226	Silvery metal shell of C7 electrolytic capacitors
227	Cathode foil of C7 electrolytic capacitors	228	Anode foil of C7 electrolytic capacitors
229	Electrolytic paper of C7 electrolytic capacitors	230	Black rubber pad of C7 electrolytic capacitors
231	Metal pin of C7 electrolytic capacitors	232	Green plastic jacket
233	Tin solder	234	Cell (mixed test)

All tested SVHC in candidate list:

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
I	1	Anthracene	120-12-7	204-371-1	0.050
I	2	4,4'- Diaminodiphenylmethane	101-77-9	202-974-4	0.050
I	3	Dibutyl phthalate(DBP)	84-74-2	201-557-4	0.050
I	4	Cobalt dichloride*	7646-79-9	231-589-4	0.010
I	5	Diarsenic pentaoxide*	1303-28-2	215-116-9	0.010
I	6	Diarsenic trioxide*	1327-53-3	215-481-4	0.010
I	7	Sodium dichromate*	7789-12-0/ 10588-01-9	234-190-3	0.010
I	8	Musk xylene	81-15-2	201-329-4	0.050
I	9	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	204-211-0	0.050
I	10	Hexabromocyclododecane (HBCDD)	25637-99-4/ 3194-55-6	247-148-4/ 221-695-9	0.050
I	11	ShortChain ChlorinatedParaffins(SCCPs)	85535-84-8	287-476-5	0.050
I	12	Bis(tributyltin)oxide (TBTO)*	56-35-9	200-268-0	0.050
I	13	Lead hydrogen arsenate*	7784-40-9	232-064-2	0.010
I	14	Benzyl butyl phthalate(BBP)	85-68-7	201-622-7	0.050
I	15	Triethyl arsenate*	15606-95-8	427-700-2	0.010
II	16	^① Anthracene oil	90640-80-5	292-602-7	0.050
II	17	^① Anthracene oil, anthracene paste, distn. Lights	91995-17-4	295-278-5	0.050
II	18	^① Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	295-275-9	0.050
II	19	^① Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.050
II	20	^① Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.050
II	21	^① Coal tar pitch, high temperature	65996-93-2	266-028-2	0.050
II	22	Acrylamide	79-06-1	201-173-7	0.050
II	23	2,4-Dinitrotoluene	121-14-2	204-450-0	0.050
II	24	Diisobutyl phthalate (DIBP)	84-69-5	201-553-2	0.050
II	25	^② Lead chromate	7758-97-6	231-846-0	0.010
II	26	^② Lead chromate molybdate sulphateRed (C.I. Pigment Red 104)	12656-85-8	235-759-9	0.010
II	27	^② Lead sulfochromate yellow(C.I. Pigment Yellow 34)	1344-37-2	215-693-7	0.010
II	28	Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	204-118-5	0.050
III	29	Trichloroethylene	79-01-6	201-167-4	0.050
III	30	^③ Boric acid*	10043-35-3/ 11113-50-1	233-139-2/ 234-343-4	0.010

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
III	31	^③ Disodium tetraborate, anhydrous*	1330-43-4/ 12179-04-3/ 1303-96-4	215-540-4	0.010
III	32	^③ Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	0.010
III	33	Sodium chromate*	7775-11-3	231-889-5	0.010
III	34	Potassium chromate*	7789-00-6	232-140-5	0.010
III	35	Ammonium dichromate*	7789-09-5	232-143-1	0.010
III	36	Potassium dichromate*	7778-50-9	231-906-6	0.010
IV	37	Cobalt(II) sulphate*	10124-43-3	233-334-2	0.010
IV	38	Cobalt(II) dinitrate*	10141-05-6	233-402-1	0.010
IV	39	Cobalt(II) carbonate*	513-79-1	208-169-4	0.010
IV	40	Cobalt(II) diacetate*	71-48-7	200-755-8	0.010
IV	41	2-Methoxyethanol	109-86-4	203-713-7	0.050
IV	42	2-Ethoxyethanol	110-80-5	203-804-1	0.050
IV	43	Chromium trioxide*	1333-82-0	215-607-8	0.010
IV	44	Acids generated from chromium trioxide and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5/ 13530-68-2	231-801-5/ 236-881-5	0.010
V	45	2-ethoxyethyl acetate	111-15-9	203-839-2	0.050
V	46	Strontium chromate*	7789-6-2	232-142-6	0.010
V	47	^① 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	271-084-6	0.050
V	48	Hydrazine	7803-57-8/ 302-01-2	206-114-9	0.050
V	49	1-methyl-2-pyrrolidone	872-50-4	212-828-1	0.050
V	50	1,2,3-trichloropropane	96-18-4	202-486-1	0.050
V	51	^① 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	276-158-1	0.050
VI	52	Dichromium tris(chromate)*	24613-89-6	246-356-2	0.010
VI	53	Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	234-329-8	0.010
VI	54	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	0.010
VI	55	^② Aluminosilicate Refractory Ceramic Fibres (RCF) **	/	/	0.010
VI	56	^② Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) **	/	/	0.010

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VI	57	^① Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	500-036-1	0.050
VI	58	Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.050
VI	59	2-Methoxyaniline (o-Anisidine)	90-04-0	201-963-1	0.050
VI	60	4-(1,1,3,3-tetramethylbutyl)phenol (4-tert-Octylphenol)	140-66-9	205-426-2	0.050
VI	61	1,2-Dichloroethane	107-06-2	203-458-1	0.050
VI	62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.050
VI	63	Arsenic acid*	7778-39-4	231-901-9	0.010
VI	64	Calcium arsenate*	7778-44-1	231-904-5	0.010
VI	65	Trilead diarsenate*	3687-31-8	222-979-5	0.010
VI	66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.050
VI	67	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.050
VI	68	Phenolphthalein	77-09-8	201-004-7	0.050
VI	69	Lead diazide*	13424-46-9	236-542-1	0.010
VI	70	Lead 2,4,6-trinitro-m-phenylene dioxide (Lead styphnate)*	15245-44-0	239-290-0	0.010
VI	71	Lead dipicrate*	6477-64-1	229-335-2	0.010
VII	72	1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme)	112-49-2	203-977-3	0.050
VII	73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.050
VII	74	^③ Diboron trioxide*	1303-86-2	215-125-8	0.010
VII	75	Formamide	75-12-7	200-842-0	0.050
VII	76	Lead(II) bis methanesulfonate*	17570-76-2	401-750-5	0.010
VII	77	TGIC(1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	219-514-3	0.050
VII	78	β -TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	423-400-0	0.050
VII	79	4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	90-94-8	202-027-5	0.050
VII	80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	0.050
VII	81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride(C.I. Basic Violet 3)	548-62-9	208-953-6	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VII	82	[4-[[4-anilino-1-naphthyl] [4-(dimethylamino)phenyl]methylene]cycl ohexa-2,5- dien-1-ylidene] dimethylammonium chloride(C.I. Basic Blue 26)	2580-56-5	219-943-6	0.050
VII	83	α,α -Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C .I. Solvent Blue 4)	6786-83-0	229-851-8	0.050
VII	84	4,4'-bis(dimethylamino)-4''-(methylamino)t rityl alcohol	561-41-1	209-218-2	0.050
VIII	85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	214-604-9	0.050
VIII	86	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	/	/	0.050
VIII	87	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	204-650-8	0.050
VIII	88	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	/	/	0.050
VIII	89	Henicosafuoroundecanoic acid	2058-94-8	218-165-4	0.050
VIII	90	Pentacosafuorotridecanoic acid	72629-94-8	276-745-2	0.050
VIII	91	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane- 1,2- dicarboxylic anhydride, trans- cyclohexane-1,2-dicarboxylic anhydride	85-42-7/ 13149-00-3/ 14166-21-3	201-604-9/ 236-086-3/ 238-009-9	0.050
VIII	92	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	25550-51-0/ 19438-60-9/ 48122-14-1/ 57110-29-9	247-094-1/ 243-072-0/ 256-356-4/ 260-566-1	0.050
VIII	93	Heptacosafuorotetradecanoic acid	376-06-7	206-803-4	0.050
VIII	94	Diisopentylphthalate(DIPP)	605-50-5	210-088-4	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VIII	95	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	284-032-2	0.050
VIII	96	N-pentyl-isopentylphthalate	776297-69-9	/	0.050
VIII	97	Methoxyacetic acid	625-45-6	210-894-6	0.050
VIII	98	Tricosafuorododecanoic acid	307-55-1	206-203-2	0.050
VIII	99	1,2-Diethoxyethane	629-14-1	211-076-1	0.050
VIII	100	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	421-150-7	0.050
VIII	101	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	202-453-1	0.050
VIII	102	N-methylacetamide	79-16-3	201-182-6	0.050
VIII	103	Pentalead tetraoxide sulphate*	12065-90-6	235-067-7	0.010
VIII	104	Biphenyl-4-ylamine	92-67-1	202-177-1	0.050
VIII	105	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	201-861-7	0.050
VIII	106	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	0.010
VIII	107	Lead dinitrate*	10099-74-8	233-245-9	0.010
VIII	108	Tetralead trioxide sulphate*	12202-17-4	235-380-9	0.010
VIII	109	Lead monoxide (lead oxide)*	1317-36-8	215-267-0	0.010
VIII	110	Lead titanium trioxide*	12060-00-3	235-038-9	0.010
VIII	111	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.050
VIII	112	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	0.010
VIII	113	Dimethyl sulphate	77-78-1	201-058-1	0.050
VIII	114	Furan	110-00-9	203-727-3	0.050
VIII	115	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	0.010
VIII	116	Tetraethyllead*	78-00-2	201-075-4	0.010
VIII	117	[Phthalato(2-)]dioxotrilead*	69011-06-9	273-688-5	0.010
VIII	118	Diethyl sulphate	64-67-5	200-589-6	0.050
VIII	119	Lead cyanamidate*	20837-86-9	244-073-9	0.010
VIII	120	Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped*	68784-75-8	272-271-5	0.010
VIII	121	Trilead dioxide phosphonate*	12141-20-7	235-252-2	0.010
VIII	122	o-Toluidine	95-53-4	202-429-0	0.050
VIII	123	o-aminoazotoluene	97-56-3	202-591-2	0.050
VIII	124	4-aminoazobenzene	60-09-3	200-453-6	0.050
VIII	125	6-methoxy-m-toluidine (p-cresidine)	120-71-8	204-419-1	0.050
VIII	126	Dibutyltin dichloride (DBTC)	683-18-1	211-670-0	0.050
VIII	127	Lead titanium zirconium oxide*	12626-81-2	235-727-4	0.010
VIII	128	Methyloxirane (Propylene oxide)	75-56-9	200-879-2	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VIII	129	1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.050
VIII	130	Trilead bis(carbonate)dihydroxide*	1319-46-6	215-290-6	0.010
VIII	131	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	0.010
VIII	132	Orange lead (lead tetroxide)*	1314-41-6	215-235-6	0.010
VIII	133	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	0.010
VIII	134	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.050
VIII	135	Lead oxide sulfate*	12036-76-9	234-853-7	0.010
VIII	136	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	0.010
VIII	137	Silicic acid, lead salt*	11120-22-2	234-363-3	0.010
VIII	138	N,N-dimethylformamide	68-12-2	200-679-5	0.050
IX	139	Cadmium	7440-43-9	231-152-8	0.010
IX	140	Cadmium oxide*	1306-19-0	215-146-2	0.010
IX	141	Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.050
IX	142	4-Nonylphenol, branched and linear, ethoxylated[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	/	/	0.050
IX	143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.050
IX	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.050
X	145	^① Trixylyl phosphate	25155-23-1	246-677-8	0.050
X	146	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	217-710-3	0.050
X	147	Dihexyl phthalate	84-75-3	201-559-5	0.050
X	148	Cadmium sulphide*	1306-23-6	215-147-8	0.010
X	149	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	209-358-4	0.050
X	150	Lead di(acetate)*	301-04-2	206-104-4	0.010
X	151	Imidazolidine-2-thione; 2-imidazoline-2-thiol	96-45-7	202-506-9	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XI	152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5	0.050
XI	153	Cadmium chloride	10108-64-2	233-296-7	0.010
XI	154	[®] Sodium peroxometaborate perboric acid, sodium salt*	/	239-172-9/ 234-390-0	0.010
XI	155	[®] Sodium peroxometaborate*	7632-04-4	231-556-4	0.010
XII	156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	247-384-8	0.050
XII	157	2-(2'-Hydroxy-3',5'-di-tert-butylphenyl)benzotriazole (UV-320)	3846-71-7	223-346-6	0.050
XII	158	Cadmium fluoride*	7790-79-6	232-222-0	0.010
XII	159	Cadmium sulphate*	10124-36-4/ 31119-53-6	233-331-6	0.010
XII	160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate; DOTE	15571-58-1	239-622-4	0.050
XII	161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyloxy)-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	/	/	0.050
XIII	162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with \geq 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5/ 68648-93-1	271-094-0/ 272-013-1	0.050
XIII	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	/	/	0.050
XIV	164	1,3-propanesultone	1120-71-4	214-317-9	0.050
XIV	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.050
XIV	167	Nitrobenzene	98-95-3	202-716-0	0.050
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1/ 21049-39-8/ 4149-60-4	206-801-3	0.050
XV	169	Benzo[def]chrysene	50-32-8	200-028-5	0.050
XVI	170	Bisphenol(BPA)	80-05-7	201-245-8	0.050
XVI	171	4-Heptylphenol, branched and linear (substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof)	/	/	0.050
XVI	172	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3108-42-7/ 335-76-2/ 3830-45-3	206-400-3/ 221-470-5	0.050
XVI	173	4-tert-amylphenol	80-46-6	201-280-9	0.050
XVII	174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	/	/	0.050
XVIII	175	Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	13560-89-9/ 135821-74-8/ 135821-03-3	/	0.050
XVIII	176	Benzo[a]anthracene	56-55-3	200-280-6	0.050
XVIII	177	Cadmium nitrate*	10325-94-7	233-710-6	0.010
XVIII	178	Cadmium carbonate*	513-78-0	208-168-9	0.010
XVIII	179	Cadmium hydroxide*	21041-95-2	244-168-5	0.010
XVIII	180	Chrysene	218-01-9	205-923-4	0.050
XVIII	181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	/	/	0.050
XIX	182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA)	552-30-7	209-008-0	0.050
XIX	183	Dicyclohexyl phthalate (DCHP)	84-61-7	201-545-9	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XIX	184	Benzo[ghi]perylene	191-24-2	205-883-8	0.050
XIX	185	Decamethylcyclotrasiloxane (D5)	541-02-6	208-764-9	0.050
XIX	186	[®] Disodium octaborate*	12008-41-2	234-541-0	0.010
XIX	187	Dodecamethylcyclotrasiloxane (D6)	540-97-6	208-762-8	0.050
XIX	188	Ethylenediamine (EDA)	107-15-3	203-468-6	0.050
XIX	189	Lead	7439-92-1	231-100-4	0.010
XIX	190	Octamethylcyclotetrasiloxane (D4)	556-67-2	209-136-7	0.050
XIX	191	Terphenyl, hydrogenated	61788-32-7	262-967-7	0.050
XX	192	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)	15087-24-8	239-139-9	0.050
XX	193	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	401-720-1	0.050
XX	194	Benzo[k]fluoranthene	207-08-9	205-916-6	0.050
XX	195	Fluoranthene	206-44-0	205-912-4	0.050
XX	196	Phenanthrene	85-01-8	201-581-5	0.050
XX	197	Pyrene	129-00-0	204-927-3	0.050
XXI	198	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP)	/	/	0.050
XXI	199	4-tert-butylphenol	98-54-4	202-679-0	0.050
XXI	200	2-methoxyethyl acetate	110-49-6	203-772-9	0.050
XXI	201	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, its salts and its acyl halides(covering any of their individual isomers and combinations thereof)	/	/	0.050
XXII	202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	404-360-3	0.050
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.050
XXII	204	Diisohexyl phthalate	71850-09-4	276-090-2	0.050
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	/	/	0.050
XXIII	206	1-vinylimidazole	1072-63-5	214-012-0	0.050
XXIII	207	2-methylimidazole	693-98-1	211-765-7	0.050
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.050
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4	245-152-0	0.050
XXIV	210	Bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XXIV	211	Diocetyl tin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	/	/	0.050
XXV	212	1,4-dioxane	123-91-1	204-661-8	0.050
XXV	213	2,2-bis(bromomethyl)propane-1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0/ 36483-57-5, 1522-92-5/ 96-13-9	221-967-7/ 253-057-0/ 202-480-9	0.050
XXV	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	/	/	0.050
XXV	215	4,4'-(1-methylpropylidene) bisphenol (bisphenol B)	77-40-7	201-025-1	0.050
XXV	216	Glutaral	111-30-8	203-856-5	0.050
XXV	217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	/	/	0.050
XXV	218	[®] Orthoboric acid, sodium salt (Group) *	/	/	0.010
XXV	219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/or combinations thereof (PDDP)	/	/	0.050
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	/	/	0.050
XXVI	221	6,6'-di-tert-butyl-2,2'-methylene-di-p-cresol	119-47-1	204-327-1	0.050
XXVI	222	S-(tricyclo[5.2.1.0 ^{2,6}]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.050
XXVI	223	tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.050
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.050

Test Method:

With reference to NTEK in-house method, Analysis is performed by Liquid Chromatography Mass Spectrometry/ Mass Spectrometry (LC-MS/MS), Gas Chromatography and Mass Spectrometry (GC-MS), headspace GC-MS, Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES), UV-Vis spectrophotometer.

Note:

1. “%” =percent by weight, 0.1% = 1000 mg/kg =1000 ppm
2. RL = Report Limit, N.D. = Not Detected (<RL), / = Not Regulated or Not Applicable
3. *: Concentration value of the substance by the conversion from the test results of certain elements.
Concentration value of Bis(tributyltin)oxide by the conversion from the test results of Tributyl Tins.
4. **: All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex VI of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation (Regulation (EC) No 1272/2008).
5. ①: In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances.
6. ②: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of therepresentative compounds are calculated based on the result of specified heavy metal elements.
7. ③: Concentration value of Boric acid; Disodium tetraborate, anhydrous; Tetraboron disodium heptaoxide, hydrate; Diboron trioxide; Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate; Disodium octaborate; Orthoboric acid, sodium salt (Group) is calculated by the conversion from the test results of certain elements and confirmed by appropriate solvent extraction, meanwhile the book of materials is suggested to be checked for further confirmation.
8. REACH regulations related to obligations
 - (a) The chemical analysis of SVHC is performed by means of currently available analytical Techniques against the list published by ECHA, and shall refer to <http://echa.europa.eu/web/guest/candidate-list-table>. This list is under evaluation by ECHA and may subject to change in the future;
 - (b) Concerning article(s):

Notification: In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (i) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (ii) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w);

Inform: Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a

minimum, the name of that substance;

(c) Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

(d) Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006.

9. ^As the client's declaration, the content of Cobalt was not from Cobalt dichloride, Cobalt(II) sulphate, Cobalt(II) dinitrate, Cobalt(II) carbonate, Cobalt(II) diacetate.

Sample photo(s):



Fig.1



Fig.2



Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10



Fig.11




Fig.12




Fig.13




Fig.14




Fig.15



Fig.16




Fig.17




Fig.18



Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34

****End of Report****

The test results or data in this report will be used only for education, scientific research, enterprise product development and internal quality control or other purposes.

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of NTEK, this report can't be reproduced except in full.