



# EU-TYPE EXAMINATION (MODULE B) CERTIFICATE

Radio Equipment Directive (RED) 2014/53/EU

**PHOENIX TESTLAB**  
Notified Body Number 0700



BNetzA-bS-02/51-55

This is to certify that:

PHOENIX TESTLAB did undertake the relevant type examination procedures for the radio equipment identified below which was found to be in compliance with the essential requirements of Radio Equipment Directive (RED) 2014/53/EU subject to any conditions in the annex attached hereto.

Certificate No.	21-210519
Manufacturer	Shenzhen Huafurui Technology Co., Ltd.
Address	Unit 1401 & 1402, 14/F, Jinqi Zhigu Mansion (No.4 Building of Chongwen Garden), Crossing of the Liuxian Street and Tangling Road, Taoyuan Street, Nanshan District, Shenzhen, P.R. China
Product Description	Smartphone; with GSM, WCDMA, LTE, WiFi, Bluetooth, FM and GNSS
Brand Name / Model Name	CUBOT / NOTE 9

## The radio equipment meets the following essential requirements

Article 3.1 a): Health and Safety	Conform
Article 3.1 b): Electromagnetic Compatibility	Conform
Article 3.2: Effective and Efficient Use of Radio Spectrum	Conform
Additional Essential Requirements:	Not applicable

Date of issue                    2021-05-31                    Expiry date:                    2026-05-30

This certificate remains valid unless cancelled or revoked, provided the conditions in the attached annex are complied with. The conditions for the validity of this certificate are listed in the Annex.



The attached Annex forms part of this certificate. This certificate consists of 4 pages.

Signed by Wayne Hsu  
Notified Body

## Annex

### Technical description

Frequency Range	GSM 900 / DCS 1800 MHz UTRA FDD Band I/VIII E-UTRA FDD Band 1/3/7/8/20 E-UTRA TDD Band 40 Bluetooth: 2402 - 2480 MHz WiFi (20 MHz): 2412 - 2472 MHz GPS: 1215 - 1300 MHz(Rx) BDS: 1559 - 1610 MHz(Rx) FM: 87.5 - 108 MHz(Rx)
Transmit Power	GSM 900: 32.50 dBm/DCS 1800: 29.50 dBm UTRA FDD: 22.20 dBm E-UTRA FDD/TDD: 24.50 dBm Bluetooth: 8.46 dBm EIRP WiFi: 14.46 dBm EIRP
Hardware Version	E91A_V1.0X
Software Version	CUBOT_NOTE 9_B041C_V01_20210326

### System Components

Battery	C11, 3.85V, 5900mAh ZHONGSHAN TI ANMAO BATTERY CO.,LTD
---------	---

### Optional Components

Adapter 1	HJ-0501500W2-EU, Input: AC 100V-240V, 50/60Hz, 0.3A; Output: DC 5V, 1.5A Shenzhen Huajin Electronics Co., Ltd.
Adapter 2	HJ-0501500-UK, Input: AC 100V-240V, 50/60Hz, 0.3A; Output: DC 5V, 1.5A Shenzhen Huajin Electronics Co., Ltd.
Earphone	1.2m
USB Cable	1m

### Approval documentation

EU Declaration of Conformity	Technical Documentation including CUBOT_NOTE 9
Explanation of compliance Article 10(2) and Article 10(10)	External / Internal Photos, User Manual, Label, Block Diagram, Circuit Diagram, Operational Description, PCB Layout, Parts Placement, Parts List
	2 pages, 20 May, 2021
Further Documents	Description in the User Manual



### Applied Standards and Test Reports

Specification	Laboratory	Test Report Number / Version
EN 62368-1:2014+A11:2017	Bay Area Compliance Laboratories Corp. (Shenzhen)	SZ1210419-12396E-SF
EN 50360:2017	Bay Area Compliance Laboratories Corp. (Shenzhen)	SZ1210419-12396E-SA
EN 50566:2017		
EN 50663:2017		
EN 62479:2010		
ETSI EN 301 489-1 V2.2.3	Shenzhen Accurate Technology Co., Ltd.	SZ1210419-12396E-02
ETSI EN 301 489-17 V3.2.4		
Draft ETSI EN 301 489-19 V2.2.0		
Draft ETSI EN 301 489-52 V1.1.2		
EN 55032:2015+A11:2020	Shenzhen Accurate Technology Co., Ltd.	SZ1210419-12396E-01
EN 55035:2017+A11:2020		
EN IEC 61000-3-2:2019		
EN 61000-3-3:2013+A1:2019		
ETSI EN 301 511 V12.5.1	Shenzhen Accurate Technology Co., Ltd.	SZ1210419-12396E-22F
ETSI EN 301 908-1 V13.1.1	Shenzhen Accurate Technology Co., Ltd.	SZ1210419-12396E-22G
ETSI EN 301 908-2 V11.1.2		
ETSI EN 301 908-1 V13.1.1	Shenzhen Accurate Technology Co., Ltd.	SZ1210419-12396E-22H
ETSI EN 301 908-13 V13.1.1		
ETSI EN 300 328 V2.2.2	Shenzhen Accurate Technology Co., Ltd.	SZ1210419-12396E-22A SZ1210419-12396E-22B SZ1210419-12396E-22C
ETSI EN 303 413 V1.2.1	Shenzhen Accurate Technology Co., Ltd.	SZ1210419-12396E-22D
ETSI EN 303 345-1 V1.1.1	Shenzhen Accurate Technology Co., Ltd.	SZ1210419-12396E-22E
Final Draft ETSI EN 303 345-3 V1.1.1		

### Limitations / Restrictions

Operating Temperature range is 0 ~ 40 degree Celsius.

Body SAR Separation distance is 5mm.



### Notes

1. This certificate will not be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with PHOENIX TESTLAB.
2. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/them being placed on the market.
3. The manufacturer shall take all measures necessary so that the manufacturing process and its monitoring ensure conformity of the manufactured radio equipment with the approved type described in the EU-type examination certificate and with the requirements of Directive 2014/53/EU that apply to it.
4.  The manufacturer shall affix the CE marking to each item of radio equipment that is in conformity with the type described in the EU-type examination certificate and satisfies the applicable requirements of the Directive.
5. The manufacturer shall draw up a written EU declaration of conformity for each radio equipment type and keep it at the disposal of the national authorities for 10 years after the radio equipment has been placed on the market. The EU declaration of conformity shall identify the radio equipment type for which it has been drawn up. A copy of the EU declaration of conformity shall be made available to the relevant authorities upon request.

